

galvalume

We take pride in delivering prime products that have been quality assured to offer maximum yield and the lowest total cost of ownership. At Majestic you can choose from several surface-treated galvalume products.



1.800.321.5590



www.majesticsteel.com



galvalume sizes

Decimals (Gauges)

- 0.0187 inch min (26 gauge) - 0.0466 inch min (18 gauge)

Grades

- Commercial Steel (CS)
- Structural Steel


Sheets


- 36 x 96 inches
- 36 x 120 inches
- 48 x 96 inches
- 48 x 120 inches
- 60 x 120 inches

Coils

- 48-inch

Custom coil and sheet sizes readily available upon request.





surfaces

Coating weights

- AZ 50
- AZ 55

Surface treatments

- Chem treat dry
- RoHS compliant chem treat
- No chem treat, light oil
- Vanishing oil

Galvalume plus

- Acrylic coated
- No roll-forming lubrication needed
- Available coating weights AZ 50 and AZ 55

Custom coating weights readily available upon request.

Chem treat is also referred to as chemically treated, chromate treated and passivated.

Most products are ordered as tension leveled to help ensure flatness and prevent fluting and are available in UL (Underwriter Laboratories) approved coating weights.




Specialty treatments

- Prepainted (Oiled)
- Embossed
- Beaded
- Perforated

specialty treatments

processing capabilities



M MAJESTIC STEEL USA

Cut-to-length specs

- Red Bud precision equipment with in-line Herr-Voss levelers
- 0.010 inch (32 gauge) to 0.159 inch (8 gauge)
- Width capacity 72 inches
- Minimum length capacity 12 inches
- Maximum length capacity 215 inches

Slit coil specs

- Braner equipment
- 0.010 inch (32 gauge) to 0.159 inch (8 gauge)
- Minimum 0.5 inch cuts
- Inside Diameter (ID) capacity 20 inches
- Outside Diameter (OD) capacity 72 inches
- Width tolerance +/- 0.005 inch

Shearing specs

- 0.010 inch (32 gauge) to 0.159 inch (8 gauge)
- Minimum 1.0 inch cuts
- Width capacity 120 inches
- Length capacity 120 inches

Ask a member of our sales team to learn more about our blanking capabilities. Custom processing readily available upon request.



Majestic Steel Sales

31099 Chagrin Blvd. Suite 150
Cleveland, Ohio 44124

phone: 800.321.5590
fax: 440.786.0576

info@majesticsteel.com

we will